

A woman with her hair in a bun is relaxing in a wooden hot tub on a wooden deck. The hot tub is made of dark wood with a grey interior. A small yellow label with a drop icon and the text 'ARREVE' is visible on the side of the tub. The background features a wooden railing and lush green foliage.

BRUKSANVISNING/  
USER MANUAL

# Badkaret/Bathub Brilliant

# Manual för installation, säker användning och underhåll

Grattis till ditt val av en gasoleldad badkar Brilliant! Vi är stolta över att erbjuda en produkt som kan skapa många härliga stunder för dig och dina nära och kära. Denna manual är framtagen för att guida dig genom varje steg av installation, användning och underhåll av badkaret. Genom att följa anvisningarna säkerställer du badkarets säkerhet och hållbarhet.

## Innehållsförteckning

- 1.Säkerhetsföreskrifter
- 2.Efter leverans, Montering
- 3.Starta gasolvärmare
- Stäng av gasolvärmare
- 4.Underhåll av badtunnan
- Underhåll av badtunnan förs
- Öppet köp
- Kontaktuppgifter

Sida 2 - 4: Svenska

Sida 5 - 8: Engelska

## 1.Säkerhetsföreskrifter

### Allmänna säkerhets anvisningar.

Lämna aldrig barn utan uppsikt i eller nära badkaret. En vuxen måste alltid övervaka när badkaret används. Lås alltid badkarets lock när den inte används för att förhindra obehörig tillgång. Använd aldrig badkaret ensam – säkerhet kräver alltid sällskap.

### Säkerhet vid användning

#### 1.Vattentemperatur

- Rekommenderad bad temperatur är mellan 37–40 °C för friska vuxna.
- Temperaturen får aldrig överstiga 40 °C, då detta kan orsaka hälsoproblem.
- Kontrollera alltid vattnets temp innan någon kliver i badet.
- För barn eller bad längre än 10 minuter rekommenderas en lägre temperatur.

#### 2.Hälsorelaterade risker

- Gravida och personer med hjärtproblem, diabetes eller cirkulations besvär bör rådfråga läkare innan användning.
- Personer med sår eller infektioner bör inte använda badkaret, eftersom varmt vatten kan stimulera bakterietillväxt om kemikaliebalansen inte är korrekt.

#### Intag av alkohol och droger

- Intag av alkohol, droger eller vissa läkemedel kan leda till yrsel, medvetlöshet eller drunkning och ska undvikas före eller under bad.

#### Överhettning och dehydrering

- Undvik långvarig exponering för höga temperaturer, då detta kan orsaka yrsel, illamående eller medvetlöshet.
- Ha alltid tillgång till dricksvatten under bad för att undvika uttorkning.

#### 3.Förebyggande av olyckor

**Glas förbud:** Använd inte glas i eller runt badkaret. Plastglas rekommenderas för att undvika skador på personer och badkaret.

**Ingen dykning eller hoppning:** Badkaret djup är inte tillräckligt för att tillåta dykning eller hoppning.

#### Halkrisk:

- Badkaret ska placeras på ett halk skyddat underlag med god dränering.
- Informera gäster om halkrisken. Vid offentliga bad ska varningsskyltar monteras.
- **Förbud mot inomhus användning.**

#### Skador och defekter

- Kontrollera badkarets skick före varje användning.
- Använd inte badkaret om någon del är trasig eller skadad. Reparationer ska endast utföras av auktoriserad personal.
- Använd inte badkaret omedelbart efter hårt arbete – vila först för att minska risken för olyckor.

#### Vid användning

- Stig i och ur försiktigt för att undvika halkolyckor.
- Följ maxantalet badande enligt badkarets specifikationer för att undvika överbelastning.

## Efter leverans

Kontrollera att ingen transportskada har uppstått under leverans, om det har uppstått läs vidare instruktioner under öppetköp. Lyft av locket och plocka sedan ur alla kartonger och lös delar ur badkaret.

Vicka sedan ner badkaret så den står med botten på marken. Avlägsna transportbanden, pallen och det skyddande emballaget. Kontrollera att alla följande delar är med :

- Gasolvärmare
- Monteringsvagn till gasolvärmaren
- Avlopp och avloppsplutt
- Monterade slangar
- Reduceringsventil till gastuben ingår ej.

Lyft sedan badkaret på plats, (rekommenderas 2-3 personer för lyft alternativt använd lyftkran eller liknande hjälpmedel ) ta tag under panelen när ni lyfter. Badkaret håller inte för att rullas.

Se till att personer som lyfter är i god fysik och att använda bra lyft teknik. Har du haft tidigare problem med ryggen bör du undvika detta tunga lyft.

Badkaret är behandlat med järnvitriol, vilket kan innebära att små mängder lossnar i början. Även hyllan är behandlad med järnvitriol. Skydda därför trallen eller underlaget noggrant.

Vi rekommenderar att badkaret sköljs ur vid leverans, då viss smuts från produktionen kan finnas kvar.

Badkaret ska placeras på en plan nivå och stadigt underlag.

## Montering av badkaret

1. Öppna kartongen till gasolvagnen och gasolvärmaren.
2. Läs den separata manualen till gasolvagnen för att motera värmare och vagn.
3. Läs även gasolvärmarens separata instruktionsblad innan användning av badet.

## Starta värmaren

Fyll upp hela badtunnan med vatten. Anslut kontakten till pumpen. Kontrollera att vatten cirkulerar igenom pumpen och att ingen luft finns i pumpen. Det kommer märkas genom att det blir dålig cirkulation.

Slå på knappen under gasol värmaren, då tänds gasollågan. Displayen visar hur många grader vattnet som kommer ut i badtunnan är.

Det finns tre vrid på gasolvärmaren, gasregulator ska vara vriden till max, waterregulator ska vara vriden till min och det övre reglaget i mitten ska vara vridet till winter för maximal effekt.

Håll koll på vatten temperaturen, rör om vattnet ibland då ytvattnet blir varmest först.

## Stäng av värmaren

Dra ur kontakten till pumpen. Du behöver inte slå av knappen på värmaren, den kommer då att automatiskt starta nästa gång du stoppar i pumpens kontakt.

## Underhåll av din badtunna

- Plasten torkas ren med en våt trasa och lite mildt rengöringsmedel vid behov.
- Gör rent filtret till gasolvärmaren efter varje bad.
- Badkarets panel är behandlad med en järnvitrol vilket kommer att ge ditt badkar en vacker grå nyans med åren.

### Badvattnet

Vi rekommenderar våra kunder, som ej har ett bad utrustat med reningsverk, att byta badvattnet mellan varje badtillfälle. Har du inte möjlighet till detta och väljer att använda badvattnet fler än en gång finns det några enkla knep för att hålla en god vattenhygien.

Duscha alltid före du går i badet för att på så sätt undvika att badvattnet smutsas ner med sollotion och hudpartiklar, detta bör även göras vid användning av ett reningsverk.

Vi rekommenderar vatten byte efter varje bad.

Gasolvärmaren har komponenter i sig som ej tål desinfektionsmedlen som finns på marknaden. Du kan därför inte tillsätta ett bakteriedödande medel i vattnet när du har en gasolvärmare kopplad till ditt bad.

Det går bra att använda kranvatten och sjövattnet. Notera att filtret till pumpen måste rengöras oftare om använder annat än kranvatten.

Kom ihåg att omständigheter så som väderförhållanden, antalet badtillfällen och antal badande är avgörande för hur länge badvattnet kan hållas hygieniskt.

### Saltvatten

Det går ej att använda saltvatten.

### Vinteranvändning

När du badat klart under vintern måste du tömma vattnet ur ditt bad. Du måste också se till att vattnet rinner ut ur slangarna så inte dessa fryser. Gasolvärmaren och gasolen ska förvaras i frostfritt utrymme när det inte används. Inga garantier gäller när vatten lämnas i vid minusgrader då det finns stor risk att något fryser sönder.

Är det väldigt kallt ute så är det också viktigt att hålla koll på gasolvärmaren medan den värmer, om tex gasolen tar slut eller fryser under uppvärmningen så kommer gasolvärmaren att stanna, det finns då risk att slangarna hinner frysa om du inte har gasolvärmaren under uppsikt. Tänk också på att batteriet i gasolvärmaren tar slut snabbare under vintern och behöver därför bytas oftare.

### Öppet köp och leverans

Vi vill vara säkra på att du valt rätt. Därför har du alltid 15 dagars öppet köp hos oss. Öppet köp förutsätter att du har kvar originalförpackningen och inte har använt produkten. Du är ansvarig för returfrakten, men får tillbaka hela summan för produkten minus ett avdrag på 2000 kr. Produkten ska returneras i original skick, avdrag görs vid retur av special beställd produkt eller skada.

Om badkaret har fått fraktskador är det viktigt att du fotar dessa innan avlastning sker från transportbilen, en underskrift av chauffören på följesedeln är även nödvändig för att få ut eventuell ersättning. Skicka sedan ett mail till [info@svenskabadtunnor.se](mailto:info@svenskabadtunnor.se) med bilder och en förklaring om vad som hänt.

I övrigt följer konsumentköplagen och distansavtalslagen. Vid eventuell tvist följer vi Allmänna Reklamationsnämndens rekommendationer.  
För mer information läs våra köpvilkor på hemsidan.

# Manual for Installation, Safe Use, and Maintenance

Congratulations on your choice of a gas-fired hot tub Brilliant!

We take pride in offering a product that can create many wonderful moments for you and your loved ones. This manual is designed to guide you through every step of the installation, use, and maintenance of the hot tub. By following the instructions, you ensure the safety and durability of your hot tub.

## Table of Contents

- 1.Safety Regulations**
- 2.After Delivery, Assembly of the Hot Tub**
- 3.Starting the Gas Heater**
  - Turning Off the Gas Heater**
- 4.Maintenance of the Hot Tub**
  - Continued Maintenance of the Hot Tub**
- Open Purchase Policy**
- Contact Information**

**Pages 2 - 4: Swedish**

**Pages 5 - 8: English**

## 1.Safety Regulations

### General Safety Instructions

Never leave children unattended in or near the hot tub. An adult must always supervise when the hot tub is in use. Always lock the hot tub cover when not in use to prevent unauthorized access. Never use the hot tub alone – safety always requires companionship.

### Safety During Use

#### 1.Water Temperature

- The recommended bathing temperature is between 37–40°C for healthy adults.
- The temperature must never exceed 40°C, as this can cause health issues.
- Always check the water temperature before anyone enters the hot tub.
- For children or bathing sessions longer than 10 minutes, a lower temperature is recommended.

#### 2.Health-Related Risks

- Pregnant women and individuals with heart conditions, diabetes, or circulatory issues should consult a doctor before use.
- People with wounds or infections should not use the hot tub, as warm water can stimulate bacterial growth if the chemical balance is not properly maintained.

### Consumption of Alcohol and Drugs

- Consumption of alcohol, drugs, or certain medications can cause dizziness, unconsciousness, or drowning and should be avoided before or during bathing.

### Overheating and Dehydration

- Avoid prolonged exposure to high temperatures, as this can cause dizziness, nausea, or unconsciousness.
- Always have access to drinking water while bathing to prevent dehydration.

### 3.Accident Prevention

**Glass Prohibition:** Do not use glass in or around the hot tub. Plastic cups are recommended to prevent injuries and damage to the hot tub.

**No Diving or Jumping:** The depth of the hot tub is not sufficient to allow diving or jumping.

### Slip Risk:

- The hot tub should be placed on a slip-resistant surface with proper drainage.
- Inform guests about the slip risk. In public bathing areas, warning signs should be installed.

### Prohibition of Indoor Use

### Damages and Defects

- Check the condition of the hot tub before each use.
- Do not use the hot tub if any part is broken or damaged. Repairs should only be carried out by authorized personnel.
- Do not use the hot tub immediately after strenuous work – rest first to reduce the risk of accidents.

### During Use

- Enter and exit carefully to avoid slip accidents.
- Follow the maximum number of bathers according to the hot tub's specifications to avoid overloading.

## After Delivery

Check for any transport damage that may have occurred during delivery. If damage is found, refer to the instructions under the open purchase policy. Remove the cover and then take out all boxes and loose parts from the hot tub.

Then carefully tilt the hot tub down so that it stands on its base. Remove the transport straps, pallet, and protective packaging. Check that all the following parts are included:

- Gas heater
- Mounting cart for the gas heater
- Drain and drain plug
- Pre-installed hoses
- Pressure regulator for the gas cylinder not included

Lift the hot tub into place (it is recommended to have 2-3 people for lifting, or use a crane or similar lifting aid). Grip under the panel when lifting. The hot tub is not designed to be rolled.

Ensure that the people lifting are in good physical condition and use proper lifting techniques. If you have had previous back problems, you should avoid this heavy lift.

The bathtub is treated with iron vitriol, which may cause small particles to come loose initially. The shelf is also treated with iron vitriol. Therefore, make sure to carefully protect the decking or surface underneath.

We recommend rinsing the bathtub upon delivery, as some residue from production may remain.

## Assembly of the Hot Tub

The hot tub should be placed on a level and stable surface.

1. Open the box containing the gas cart and gas heater.
2. Refer to the separate manual for the gas cart to assemble the heater and cart.
3. Also, read the gas heater's separate instruction sheet before using the hot tub.

### IMPORTANT!

- Read the gas heater's separate instruction sheet before use.

## Starting the Heater

Fill the hot tub completely with water. Connect the pump plug and check that water circulates through the pump, ensuring there is no air in the system. Poor circulation will indicate the presence of air.

Turn on the switch under the gas heater to ignite the gas flame. The display will show the temperature of the water flowing into the hot tub.

There are three knobs on the gas heater:

The gas regulator should be turned to maximum.

The water regulator should be turned to minimum.

The upper middle knob should be set to winter for maximum efficiency.

Monitor the water temperature and stir the water occasionally, as the surface water heats up first.

## Turning Off the Heater

Unplug the pump. You do not need to turn off the switch on the heater, as it will automatically start the next time you plug in the pump.

## Maintenance of Your Hot Tub

- Wipe the plastic clean with a damp cloth and a mild detergent if needed.
- Clean the gas heater filter after each use.
- The hot tub panel is treated with iron vitriol, which will develop a beautiful gray patina over the years.

## Bath Water

We recommend that customers without a filtration system change the bath water after each use. If you don't have the possibility to do so and choose to reuse the bath water multiple times, there are a few simple tips to maintain good water hygiene.

Always shower before entering the hot tub to prevent the bathwater from becoming contaminated with sunscreen and skin particles. This should also be done when using a filtration system.

We recommend changing the water after each bath.

The gas heater contains components that are not resistant to disinfectants available on the market. Therefore, you cannot add a bactericidal agent to the water when using a gas heater with your hot tub.

It is fine to use tap water and lake water. Note that the pump filter must be cleaned more frequently when using anything other than tap water.

The above recommendations increase the possibility of using the bathwater for more than one session. Keep in mind that factors such as weather conditions, the number of bathing sessions, and the number of bathers are crucial in determining how long the water can remain hygienic.

### Saltwater

Saltwater cannot be used.

### Winter Use

After using the hot tub during winter, you must drain the water completely. Ensure that all water is emptied from the hoses to prevent freezing. The gas heater and gas cylinder should be stored in a frost-free area when not in use. No warranties apply if water is left in the tub at subzero temperatures, as there is a high risk of freezing damage.

If the weather is very cold, it is important to monitor the gas heater while it is heating. If the gas runs out or freezes during heating, the gas heater will stop, and there is a risk that the hoses may freeze if the heater is not supervised. Also, keep in mind that the battery in the gas heater depletes faster in winter and will need to be replaced more frequently.

### Open Purchase and Delivery

We want to ensure that you have made the right choice. That's why we offer a 15-day open purchase policy. Open purchase requires that you keep the original packaging and have not used the product. You are responsible for the return shipping, but you will receive a full refund for the product minus a deduction of 2000 SEK.

The product must be returned in its original condition. Deductions may apply for returns of custom-ordered products or if the item is damaged.

If the hot tub has sustained shipping damage, it is important to take photos before unloading it from the transport vehicle. A signature from the driver on the delivery note is also required to claim any possible compensation. Then, send an email to [info@svenskabadtunnor.se](mailto:info@svenskabadtunnor.se) with the photos and an explanation of what happened.

In all other respects, we adhere to the Consumer Purchase Act and the Distance Contracts Act. In the event of a dispute, we follow the recommendations of the National Board for Consumer Disputes.

For more information, please read our purchase terms on our website.