

INSTRUCTIONS FOR USE

Terrasspool Prime

Gas heated



THANK YOU FOR CHOOSING US AS YOUR TERRACE POOL SUPPLIER

We hope the terrace pool will give you many lovely baths and pleasant moments.

For the best conditions for lifelong durability, we recommend that you read through the user manual before you start using your new terrace pool. This instruction manual applies to the terrace pool Prime gasol and will describe what is important to think about before, during and after your bath.

More information about our hot tubs can be found under the swimming school at svenskabadtunnor.se. If you have any questions, you are welcome to contact us at info@svenskabadtunnor.se

BUILT-IN

THE UNDERWORK

The foundation is an important part of the installation as the terrace pool with water and many bathers can reach weights of over 1500 kg. The part-time work differs slightly depending on the conditions you have. Usually it is built on earth or gravel and then it may be necessary to dig out a piece and lay out a ground sheet. If you are building on rock or stone, you can build with regular timber directly on top. Make sure to place the terrace pool at a level level and on a firm surface.

SUPPORT

The terrace pool is made of polyethylene plastic, which is a movable material. In this way, it is very resistant to shocks and cold. Since it is not mute, it needs a support under its surfaces. This is important as otherwise there will be too much load and it will not hold its shape. On our website there is a drawing of a bottom support that can be built yourself. Alternatively, ready-made bottom support can be purchased in cellular plastic. It is also possible to buy with ready-made walls in cellular plastic. No additional support needs to be built if you choose this solution.

Upon delivery, the terrace pool may be slightly uneven in its surface and bottom after delivery. Once you have built the support, placed the terrace pool and then filled it with water, it will settle as it should.

INSULATION

Before you build in the terrace pool, you should think about whether insulation is relevant for you. It depends a little on how you intend to use the terrace pool. If you are going to bathe a lot in winter or keep the water in the bath for a long time, we recommend that you insulate with at least 50 mm of cellular plastic (preferably 70-100 mm). An instructional video on an example of how you can insulate is available on our YouTube channel. Alternatively, order our ready-made insulation package on the website, made of EPS S100 cellular plastic 85 mm.

RECEIPT OF DELIVERY

Check that no transport damage has occurred during delivery. If this has occurred, read further instructions during open purchase. Lift the lid and then remove all cardboard and loose parts from the terrace pool.

Then fold down the terrace pool so that it stands with the bottom on the ground. Remove the conveyor belts, the pallet and the protective packaging.

Check that the following parts are included:

- Gas heater
- Assembly trolley for the gas heater
- hose
- Connections
- Reduction valve for the gas tube is not included.

Before you fill the terrace pool with water for the first time, it should be rinsed and dried as assembly dust and dirt often remain after assembly in the factory.

INSTALLATION OF THE TERRACE POOL

1. Mount the connections in the bath, see separate instructions. If you have ordered lighting, install it according to separate instructions.
2. Carefully lift the bath into the insulation, alternatively build your own support and insulate yourself.
3. Read the separate manual for assembling the gas trolley and the heater and for how to start your bath. Remember that the pump on the LPG trailer must be below the level of the water surface.
4. Mount the four clamps to the lid with the included screws. The code for the lid is 00. It cannot be changed.

MAINTENANCE

THE TERRACE POOL

- The plastic is wiped clean with a wet cloth and a little mild detergent without surfactants if necessary.
- Clean the filter for the gas heater after every bath.

THE BATH WATER

-We recommend our customers, who do not have a bath equipped with a purification system, to change the bath water between each bathing occasion. If you do not have the opportunity to do this and choose to use the bath water more than once, there are some simple tricks to maintain good water hygiene.

- Always shower before going into the bath to avoid contaminating the bath water with sun lotion and skin particles. This should also be done when using a treatment plant.

- Add germicide. Important to never add a chlorine-based agent (or other disinfectants with corrosive content) as chlorine is not good for the skin, the environment or the gas stove. We recommend the chlorine-free disinfectant BioCool. Dosing is done easily according to the instructions on the bottle. Pool disinfection should also be used if a treatment plant is used.

The above advice increases the possibility of using the bathing water on more than one bathing occasion. Remember that circumstances such as weather conditions, the number of bathing occasions and the number of bathers are decisive for how long the bathing water can be kept hygienic.

SALTWATER

It is not possible to use salt water in the hot tub.

WINTER USE

When you have finished bathing during the winter, you must empty the water from your bath. You must also ensure that the water flows out of the hoses so that they do not freeze. The gas heater and the gas must be stored in a frost-free area when not in use. No guarantees apply when water is left in at sub-zero temperatures as there is a high risk of something freezing.

If it is very cold outside, it is also important to keep an eye on the gas heater while it is heating. If, for example, the gas runs out or freezes during heating, the gas heater will stop. Then there is a risk that the hoses will have time to freeze if you do not have the gas heater under supervision.

OPEN PURCHASE & SHIPPING DAMAGE

We want to be sure you made the right choice. That's why you always have 15 days to buy with us. Open purchase assumes that you still have the original packaging and have not used the product. You are responsible for the return shipping, but get back the full amount for the product minus a deduction of SEK 2,000.

The product must be returned in its original condition. Deductions are made when returning a specially ordered product or damage.

If the terrace pool has suffered shipping damage, it is important that you photograph these before unloading from the transport truck. A signature of the driver on the delivery note is also necessary to receive any compensation.

Then send an email to info@svenskabadtunnor.se with pictures and an explanation of what happened.

Otherwise, the Consumer Purchase Act and the Distance Contracts Act are complied with. In the event of a dispute, we follow the recommendations of the General Complaints Board. For more information, read our purchase conditions on the website.

IMPORTANT!

- Read the gas heater's separate instruction sheet before use.**
- Never leave children unattended in the bathtub.**
- Always check the water temperature before you or someone else jumps into the bath.**
- The water coming out of the gas heater can be very hot, be careful not to burn yourself or someone else.**
- Make sure that no unauthorized person can get into the bath without your knowledge.**